

AGENDA MANAGEMENT SHEET

Name of Committee Warwick Area Committee

Date of Committee 26th July 2005

Report Title Highway Maintenance Plan 2005/06 and Five Year List of Structural Maintenance Schemes

Summary The report provides information about the highway maintenance work proposed in 2005/06 and lists other sites where maintenance work will be required in the future.

For further information please contact Roger Poole
County Highways Policy
Tel. 01926 738980
rogerpoole@warwickshire.gov.uk

Would the recommended decision be contrary to the Budget and Policy Framework? Yes/No

Background Papers None

CONSULTATION ALREADY UNDERTAKEN:- *Details to be specified*

- Other Committees
- Local Member(s)
(With brief comments, if appropriate)
- Other Elected Members
- Cabinet Member
(Reports to The Cabinet, to be cleared with appropriate Cabinet Member)
- Chief Executive
- Legal K Scales – comments incorporated.
- Finance C Holden – for information.

- Other Chief Officers
- District Councils
- Health Authority
- Police
- Other Bodies/Individuals

FINAL DECISION **YES/NO** *(If 'No' complete Suggested Next Steps)*

SUGGESTED NEXT STEPS :

Details to be specified

- Further consideration by this Committee
- To Council
- To Cabinet 8th September 2005
- To an O & S Committee
- To an Area Committee
- Further Consultation

Warwick Area Committee - 26th July 2005

**Highway Maintenance Plan 2005/06 and Five Year List of
Structural Maintenance Schemes**

**Report of the Director of Planning, Transport and
Economic Strategy**


Recommendation

Area Committee is invited to make comments on the Highway Maintenance Plan 2005/06 so that Cabinet can be informed of Members' views.

1. Highway Maintenance Annual Plan

- 1.1 The Highway Maintenance Plan for 2004/05 is attached as **Appendix A**. This is the fourth plan which has been produced and, as in previous years, it includes details of the surface dressing, road resurfacing, road reconstruction, footway surfacing and footway slurry sealing work planned for the year.
- 1.2 Some of the points Members may like to note from the plan are:-
- (i) By undertaking extra surface dressing and a structural maintenance treatment on at least 80km of non-principal roads and 5km of principal roads in 2004/05 there has been a slight improvement in the condition of B and C class roads and a marked improvement in Unclassified roads. These improvements were helped by the extra structural maintenance work made possible by "prudential borrowing" in 2004. This funding will, however, reduce the highway maintenance revenue by about £130,000 a year for the next 25 years.
 - (ii) The operation of the highways contact centre has improved during the year.
 - (iii) The results from the latest public satisfaction surveys (carried out through the Warwickshire Panel in 2004) are shown in the grid below. It is expected that the next survey will be undertaken in 2006.

Highway Maintenance : Citizens Panel 2004
Net Satisfaction v Importance



1.3 There are now some trends beginning to emerge with satisfaction with roadworks planning and grass cutting showing a slight upward trend. It will be difficult for County Highways to achieve the public satisfaction targets agreed by Cabinet in July 2002.

1.4 An analysis of the condition of the carriageways in each District area is shown in the table below. In the past the differences between areas were probably due to:-

- (i) Different maintenance regimes undertaken in the north and south of the county between 1985 and 1996.
- (ii) Different sub-soils, which mean that roads in some areas are more likely to crack in dry weather.
- (iii) Newer roads (mainly in the urban areas) are constructed to higher standards and have a longer life than the older (mainly rural) roads.

| Carriageways with Defects above the Best Value Performance Indicator Thresholds of the United Kingdom Pavement Management System (UKPMS) Surveys | | | | | | | |
|--|-------------|------------------|---------------------|-------|-----------|---------|--------|
| | | North Wark'shire | Nuneaton & Bedworth | Rugby | Stratford | Warwick | Total |
| 2004 | Length (km) | 81.2 | 44.2 | 99.4 | 302.9 | 98.6 | 626.3 |
| | %age | 15.2 | 11.9 | 16.3 | 21.2 | 14.7 | 17.3 |
| 2005 | Length (km) | 82.3 | 44.5 | 82.25 | 261.4 | 92.9 | 563.35 |
| | %age | 15.2 | 12 | 13.4 | 18.3 | 13.4 | 15.44 |

- 1.5 In recent years works programmes have taken account of the differences in road conditions, with more work carried out on the roads in the south of the county than in the north. This is beginning to reduce the differences in road conditions across the County. There is still a need for the roads in Stratford District to improve but it will now be necessary to look at new areas (such as North Warwickshire) when their roads deteriorate.
- 1.6 The table below provides information about the lengths of roads which are to be treated in each area of the county during the year.

| Location | Surface dressing (length and percentage of the total network to be treated) | | | Structural maintenance (length and percentage of the total network to be treated) | | |
|--------------------------|--|-------|-----|---|-------|------|
| | 04/05 | 05/06 | | 04/05 | 05/06 | |
| | km | km | % | km | km | % |
| North Warwickshire | 40 | 29 | 5.3 | 6.7 | 0.9 | 0.2 |
| Nuneaton and Bedworth | 39 | 24 | 6.3 | 2.4 | 1.5 | 0.4 |
| Rugby | 42 | 38 | 6.1 | 8.9 | 0.3 | 0.05 |
| Warwick | 51 | 38 | 5.5 | 9.8 | 3.4 | 0.5 |
| Stratford | 53 | 69 | 4.8 | 57.0 | 31.2 | 2.2 |

- 1.7 The main reason for the variability in treatments in the different areas of the county is that, as last year, a greater length of road is being overlaid in the Stratford area to try to even out condition throughout the county.

2. Highway Maintenance Five Year Plan

- 2.1 As with last year, a list of sites which require a maintenance treatment, but which could not be included in this year's programme, has been drawn up. This is intended to provide Members, and the public, with greater reassurance that maintenance work will be carried out, even if it is not programmed in the current financial year. A list of roads in the Warwick area which should receive a structural treatment in the next five years is included as part of the Highways Maintenance Plan. The roads which are listed are those which are felt should definitely receive a structural treatment
- 2.2 The list includes a number of "A" roads and some pavements/footways. There are a limited number of carriageway sites included in the urban areas. This is because most of the roads in urban areas are treated by surface dressing or by resurfacing and do not normally require a strengthening treatment.
- 2.3 A separate list of roads where street lighting replacements are needed is also provided.

3. Conclusion/Issues

3.1 Members are invited to comment on the Highway Maintenance Plan and Five Year List of Structural Maintenance Schemes. Members may particularly wish to comment on other issues which feature in the plan. Some of the issues include:-

- (i) The priority for highway maintenance spending has traditionally been for maintaining safety and for maintaining the structural condition of the road. Maintaining the appearance of the network has generally been considered to be a lesser priority with the funds available.
- (ii) Patching work is carried out to keep the roads and pavements in a safe condition. Potholes and other defects are dealt with when they are found during the regular inspections or when they are reported by the public. Patching work is also undertaken prior to carriageway surface dressing or pavement slurry sealing. Revenue resources for patching have been significantly reduced this year and priorities will be strictly focussed on ensuring that the network is safe.
- (iii) The overall condition of the street lighting stock in Warwickshire is better than in many counties. However, about 25% of the lighting stock is over 30 years old. It is currently estimated that Warwickshire should be replacing at least 1000 (2.5%) of its streetlights every year to maintain the overall condition. The past few years funding has allowed just 50%-25% of the required replacements. During the past 12 months 6 columns collapsed unexpectedly. Fortunately, no personal injuries were sustained but the potential danger of an ageing stock is clear. To manage the potential risks in the short term it is proposed to increase the programme of testing to determine the maximum "residual" life of the columns. A substantial part of the street lighting budget is spent on energy. In April 2005 a two year contract for Green Energy was secured for the first time for Warwickshire County Council (WCC).
- (iv) The cost of tree maintenance is increasing and there is pressure on planting more trees to improve the environment. Trees are an important part of the street scene but increasing costs will reduce funds for other maintenance work.

JOHN DEEGAN
Director of Planning, Transport and Economic Strategy
Shire Hall
Warwick

6th July 2005

Appendix A of Agenda No

Warwick Area Committee - 26th July 2005

Highway Maintenance Plan 2005/06 and Five Year List of Structural Maintenance Schemes

1. Introduction

- 1.1 In 2002 the Audit Commission said that the highway maintenance service in Warwickshire was a good (two star) service with promising prospects for improvement. This plan set out the actions being taken to try to improve the service to an excellent (three star) service.
- 1.2 Information is provided about the way in which the highways budgets will be spent in 2005/2006. Details of the structural condition of roads in the county are given and an assessment is made of progress towards targets. Other information such as public satisfaction with the service is also provided.

2. Highway Maintenance Policy

- 2.1 Maintenance work is carried out in accordance with the Warwickshire County Council Highways Maintenance Policy Document and, in addition, any Member decisions on budgets. Policies were reviewed as part of the 2001 and 2002 Best Value reviews of the structural, routine and winter maintenance services.
- 2.2 In 2003 the Environment and Rural Affairs Overview and Scrutiny Committee endorsed the strategy for the maintenance of the highways.
- 2.3 A further review of policy will be carried out in 2005 following the publication of a revised national Code of Practice for Maintenance Management.

3. Maintenance Contract

- 3.1 2005/06 is the second year of the seven year maintenance contract awarded to Carillion which covers all the highway maintenance work.
- 3.2 The contract is fulfilling one of the actions identified in the best value reviews. Work is continuing with the contractor to identify and implement improvements which can be made to ensure better value for the maintenance spend.
- 3.3 Following a review of the Highway Maintenance Contract an Improvement Action Plan was drawn up (reported to Environment and Rural Affairs Overview and Scrutiny Committee 12th February 2005). A further report on progress on the contract will be made to Environment Overview and Scrutiny Committee in September 2005.

4. Targets

4.1 Members agreed three main targets following the best values of the service.

(i) **Target 1 - Condition of the road network**

To reduce the backlog of repairs by 2010 by undertaking structural maintenance strengthening work on an average of at least 50km of B, C or D roads each year.

(ii) **Target 2 - Public satisfaction**

To increase levels of public satisfaction by at least 10% by 2010 as measured by net satisfaction and overall satisfaction score (these forms of measuring satisfaction were adopted in the best value review).

(iii) **Target 3 – Safety**

To reduce wet road skidding accidents in line with Government targets. Casualty Reduction Targets were stretched to 2009 by WCC and will be stretched even further by PSA2 and the proposed LTP to be published in 2006.

5. Funding

5.1 To achieve the targets the overall funding is allocated to various elements of the service. Details of how the budget will be spent is given in the table below. The figures do not include staff costs or agents fees. For comparisons the figures from the last four years are included.

| Maintenance Allocations (Revenue and Capital) | | | | | |
|---|------------------|-------------------|------------------------------------|------------------------------------|--------------------------------------|
| | 2001/2002 | 2002/2003 | 2003/2004 | 2004/2005 | 2005/2006 |
| Insurance | £443,443 | £454,529 | £665,892 | £683,000 | £762,000 |
| Street Lighting including energy | £2,035,076 | £2,073,203 | £2,188,783 (energy £860,000) | £2,723,000 (energy £965,000) | £3,010,000 (energy £1,258,000) |
| Winter Maintenance | £1,163,000 | £1,192,075 | £1,341,877 | £1,359,000 | £1,258,000 |
| Principal Road Structural and Surface Dressing | £1,438,000 | £1,461,000 | £1,202,705 | £1,064,000 | £610,000 |
| Non Principal Surface Dressing | £1,050,282 | £1,723,699 | £1,623,545 (2) | £1,874,000 | £2,082,000 |
| Non Principal Structural Work including road and footway surfacing, slurry sealing microasphalt, and drainage schemes | £4,449,783 | £4,169,227 (1) | £3,853,750 (2) | £4,179,000 (3) | £4,528,000 |
| Other maintenance activities | £4,147,416 | £4,275,267 | £4,324,128 | £4,646,000 | £4,144,000 |
| TOTAL | £14,727,000 | £15,349,000 | £15,200,680 | £16,528,000 (3) | £16,617,000 |

Notes

- (1) In addition some extra money was made available because an improvement to Portobello Bridge, Warwick was postponed. If the scheme proceeds in the future funding for it will have to be recovered from a future years maintenance allocation.
- (2) Final surface dressing costs were about £200,000 less than budget which allowed extra spending on structural works.
- (3) In addition £2 million was made available from prudential borrowing.

5.2 In 2004/05 prices under the new Highway Maintenance Contract changed for some activities compared to the prices under the old contracts. Some of the 2005/06 budget changes are a result of changes to the allocations of depot and other overhead costs.

5.3 The following are the main activity changes in 2005/2006 compared to 2004/2005:-

- (i) The substantial increase in the street lighting allocation has been required to pay for an increase in electricity cost (approx £293,000).
- (ii) The spending on Principal Roads has been decreased and spending on Non Principal roads increased in line with government recommendations in their annual capital allocations.
- (iii) Surface dressing allocations remain higher than in 2001/02 to try to ensure that greater lengths of road are sealed to reduce the likelihood of potholes developing.
- (iv) The funding for structural maintenance includes about £1.155m for footway surfacing and slurry sealing.

- (v) The allocation for 'other' maintenance activity takes account of an increasing cost of tree maintenance. The Patching allocation has been substantially reduced as it is hoped that less patching will be necessary if road condition is improved by increased surface dressing and resurfacing.

6. Public Satisfaction

6.1 An important factor to be taken into account in deciding how maintenance funding should be allocated is the levels of public satisfaction with the service. Highway maintenance satisfaction surveys have been carried out in 1999, 2002, 2004 with each of the three Warwickshire Panels. The results for these surveys and the 2010 targets are shown in the table below. It is hoped that a further survey can be undertaken in 2006.

| | Net Satisfaction Score (percentage satisfied minus percentage dissatisfied) | | | | Overall Satisfaction Score (ranging from 0-100) | | | |
|---------------------|---|------|------|--------------------|--|------|------|--|
| | 1999 | 2002 | 2004 | Target for 2010 | 1999 | 2002 | 2004 | Target for 2010 (% increase from 2002) |
| Winter Maintenance | +24% | +29% | -3% | 42% | 53 | 57 | 47 | 63(+10%) |
| Street Lighting | +66% | +54% | +46% | 69% | 69 | 66 | 64 | 73(+10%) |
| Roadworks Planning | -28% | -24% | -20% | 20% | 37 | 39 | 40 | 58(+50%) |
| Town Road Surfaces | 0% | -3% | +1% | 45% | 45 | 45 | 48 | 63(+40%) |
| Rural Road Surfaces | -16% | -31% | -27% | 10% | 41 | 36 | 38 | 54(+50%) |
| Pavements/Footways | -18% | -17% | -22% | 24% | 40 | 41 | 40 | 57(+40%) |
| Grass Cutting | +15% | +21% | +32% | 33% | 50 | 59 | 58 | 65(+10%) |
| Road Signs | +48% | +40% | +38% | 54% | 62 | 57 | 60 | 63(+10%) |
| Drainage | +16% | -13% | -4% | 20% | 50 | 42 | 46 | 59(+40%) |
| Road Markings | +45% | +33% | +29% | 46% | 60 | 58 | 57 | 64(+10%) |

6.2 The main points to note from these surveys are:-

- (i) Satisfaction with winter maintenance decreased substantially in 2004. It is presumed that this was influenced by the problems that occurred throughout the region due to the snow fall in January.
- (ii) Satisfaction with the highest regarded services of street lighting, road signs and road markings have fallen slightly. There were some particular problems in 2003 in reinstating road markings following surface dressing.
- (iii) Satisfaction with Roadworks planning and grass cutting show a slight upward trend.
- (iv) There are no clear satisfaction trends for the other elements of the service with rural road surfaces and footway/pavements continuing to be given low ratings.

- 6.3 Since 2001 there has been a steady improvement in the general maintenance of town centres as recorded by the independently scored Streetscape Appearance Index Values.

7. Surface Dressing and Structural Maintenance Treatments

- 7.1 The surface dressing and structural maintenance allocations are used to fund the following treatments

| LENGTHS OF TREATMENTS | | | | |
|--|-----------|-----------|-----------|-----------|
| | 2002/2003 | 2003/2004 | 2004/2005 | 2005/2006 |
| Principal Roads – Structural Maintenance | 5km | 6km | 5km | 2.5km |
| Principal Roads – Surface Dressing | 23.1km | 22km | 31km | 13km |
| Non Principal Roads – Structural Maintenance | 50km | 52km | 80km | 34.8km |
| Non Principal Roads – Surface Dressing | 198km | 135km | 195km | 185km |
| Footways* | 158km | 80km | 91km | 112km |

* Note: Footways include Slurryseal treatment

8. Structural Condition of the Network

- 8.1 This section gives carriageway condition information from road condition surveys. As last year, it is important to emphasise the fact that none of the surveys are able to measure road condition, and year on year changes in road condition, to a high degree of accuracy. This is because some of the surveys use sampling and only measure part of the network each year and others give different results when carried out at different times. The best the surveys can do is to pick up trends in condition over a period of years.
- 8.2 As a result of the problems with road condition surveys research took place nationally to develop machine surveys. In 2004/05 all local authorities were required to commission a machine survey for the surface condition of their principal roads (SCANNER survey). This year the surveys will be extended to B and C roads.
- 8.3 The survey results for the principal (A) roads are given in the following tables. Unfortunately the results do not provide a clear picture of the condition of the Principal road network.
- 8.3.1 In the past the Deflectograph survey has been found to provide the most accurate information about the condition of the principal roads. The Deflectograph results for 2003 indicate a continuing deterioration in the roads surveyed. The Deflectograph results for the 2004 survey are not yet available.
- 8.3.2 The UKPMS National indicators have not been available in a year on year consistent form and the latest SCANNER survey measures new defects, such as skid resistance, which has led to a higher reported figure.

8.3.3 The National Road Maintenance Condition Survey (NRMCS) shows a continuing improvement in the condition over the last five years.

| DEFLECTOGRAPH SURVEY RESULTS FOR THE A ROADS | | | | | | |
|---|--|---------|---------|-----------|----------|---------|
| (Approximate length of A roads in Warwickshire 380km. Approximate length surveyed by deflectograph 366km) | | | | | | |
| Date of survey | Percentage of the network falling within the residual life bands | | | | | |
| | 0 yr | 1-4 yrs | 5-9 yrs | 10-14 yrs | 15-19yrs | 20+ yrs |
| July 1999 | 8.9 | 7.3 | 7.5 | 8.4 | 8.4 | 59.5 |
| July 2000 | 6.4 | 6.1 | 7.1 | 8.2 | 8.2 | 64.0 |
| July 2001 | 7.8 | 6.5 | 6.6 | 8.3 | 6.6 | 64.2 |
| July 2002 | 9.9 | 7.8 | 7.8 | 9.3 | 6.5 | 58.8 |
| July 2003 | 13.4 | 10.3 | 9.4 | 8.7 | 7.1 | 51.1 |

Figures in bold were reported as the best value performance indicator BVPI 96

| UKPMS National Indicators | | | 2000/2001 | 2001/2002 | 2002/2003 | 2003/2004 | 2004/2005 |
|--|---------|-----------------------|-----------|-----------|-----------|--------------|---------------|
| Percentage length of A road with defects above the threshold | UKPMS | Fixed Merge method | 2.10% | 3.10% | 3.70% | - | - |
| | | Variable Merge method | - | - | 9.20% | 6.90% | 8.0% |
| | SCANNER | | - | - | - | - | 27.79% |

Figures in bold were reported as the best value performance indicator BVPI 96

| NATIONAL ROAD MAINTENANCE CONDITION SURVEY DEFECT INDICES | | | | |
|--|--------------|-------|---------|------------------|
| PRINCIPAL ROADS | | | | |
| | Warwickshire | | | National Average |
| | Urban | Rural | Average | |
| 1993 | 30 | 70 | 50 | 106.2 |
| 1994 | 42 | 53 | 47 | 101.0 |
| 1995 | 53 | 37 | 45 | 100.1 |
| 1996 | 60 | 43 | 51 | 105.2 |
| 1997 | 55 | 39 | 47 | 106.4 |
| 1998 | 48 | 62 | 55 | 106.8 |
| 1999 | 43 | 61 | 52 | 109.0 |
| 2000 | 107 | 51 | 79 | 103.7 |
| 2001 | 46 | 68 | 57 | 101.2 |
| 2002 | 71 | 62 | 66 | 93.3 |
| 2003 | 52 | 65 | 58 | 91.8 |
| 2004 | 62 | 50 | 56 | 83.5 |

Note The lower the value the fewer the surface defects

8.4 The survey results for the non principal roads are given in the following tables. There have been fewer changes in the surveys in recent years which means that the results are easier to interpret than those for the principal roads.

8.4.1 There has been little change in the condition of B and C roads.

8.4.2 There has been a marked improvement in the condition of unclassified roads.

| NATIONAL ROAD MAINTENANCE CONDITION SURVEY DEFECT INDICES | | | | | | | | |
|---|------------------|-------|---------|------------------|--------------------|-------|---------|------------------|
| | CLASSIFIED ROADS | | | | UNCLASSIFIED ROADS | | | |
| | Warwickshire | | | National Average | Warwickshire | | | National Average |
| | Urban | Rural | Average | | Urban | Rural | Average | |
| 1993 | 73 | 41 | 57.0 | 107.6 | 67 | 45 | 56.0 | 98.9 |
| 1994 | 65 | 67 | 66.0 | 107.5 | 60 | 65 | 62.5 | 100.7 |
| 1995 | 58 | 94 | 76.0 | 110.7 | 53 | 85 | 69.0 | 102.7 |
| 1996 | 51 | 68 | 59.5 | 102.6 | 71 | 129 | 100.0 | 108.7 |
| 1997 | 52 | 87 | 69.5 | 109.6 | 59 | 113 | 86.0 | 111.8 |
| 1998 | 45 | 117 | 81.0 | 111.5 | 104 | 235 | 169.5 | 109.3 |
| 1999 | 104 | 117 | 110.5 | 116.8 | 109 | 171 | 140.0 | 112.5 |
| 2000 | 70 | 107 | 88.5 | 111.3 | 121 | 156 | 138.5 | 119.1 |
| 2001 | 84 | 99 | 91.5 | 108.5 | 91 | 98 | 94.5 | 118.4 |
| 2002 | 88 | 73 | 80.5 | 109.2 | 86 | 98 | 92.0 | 122.2 |
| 2003 | 92 | 80 | 86.0 | 105.2 | 92 | 212 | 152.0 | 124.5 |
| 2004 | 69 | 81 | 75.0 | 105.1 | 101 | 153 | 127.0 | 118.9 |

Note The lower the value the fewer the surface defects

| UKPMS BEST VALUE PERFORMANCE INDICATORS: 2001 to 2005 | | | | | |
|--|-----------------------------|---------------|---------------|---------------|---------------|
| | | 2001/ 2002 | 2002/ 2003 | 2003/ 2004 | 2004/ 2005 |
| BVPI 97a – Percentage of Non Principal Classified (B and C) Roads with defects above the threshold. (Approximate total length of B and C roads in Warwickshire = 1293km) | UKPMS Fixed Merge Method | 11.4%* | 8.91% | - | - |
| | UKPMS Variable Merge Method | - | 17.9% | 18.19% | 17.72% |
| BVPI 97b – Percentage of Non Principal Unclassified (D) Roads with defects above the threshold (Approximate total length of D roads in Warwickshire = 1967km) | UKPMS Fixed Merge Method | 7.4%* | 4.46% | - | - |
| | UKPMS Variable Merge Method | - | 17.1% | 18.54% | 14.94% |
| BVPI 187 (Footways) ** | | - | 81.9% | 75.98% | 34.8% |

Figures in bold are the best value performance indicators

* The audit commission had reservations about these 2001/2002 figures.

** The footway indicator is based on town centre roads only

- 8.5 The survey results for town centre footways given in the table above appear to indicate a substantial improvement in their condition. In fact there has been a change in the way in which the indicator has been calculated. It is likely that the reported 2002/03 and 2003/04 figures for Warwickshire were twice what they should have been. The resulting figures still show a steady improvement.

9. Maintenance Targets for 2005/06

- 9.1 Over the years Warwickshire has invested in its principal road network to keep it in a good condition. A comparison of the Warwickshire best value performance indicators with those of other authorities shows that the condition of the principal roads in Warwickshire is better than average.
- 9.2 This year the government suggested that Warwickshire should spend less than in previous years on its principal roads and more on its non principal roads. As a result the target for structural maintenance of the principal roads has been reduced to 2.5km.
- 9.3 In the past 3 years the target for structural work on the non principal roads has been 50km. Last year, with the extra prudential borrowing a total of 80km was achieved. This year, to allow sufficient work on footways and surface dressing, the target has been reduced to 34.8km.

10. Surface Dressing

- 10.1 Roads are surface dressed:-
- (i) to halt surface deterioration;
 - (ii) to improve skid resistance: and
 - (iii) to seal them to prevent water penetrating and softening the foundation.
- 10.2 The highway maintenance policy document suggests that roads should be treated at the following frequencies.
- | | |
|---------|----------|
| A Roads | 8 years |
| B Roads | 10 years |
| C Roads | 12 years |
| D Roads | 15 years |
- 10.3 These frequencies would be achieved if about 47km of A roads and about 244 km of other roads were treated each year, making an allowance for roads which are surfaced, this means that approximately 40km of A roads and 190km of other roads should be surface dressed each year to achieve the policy.
- 10.4 This year it is proposed to surface dress 12.9km of A road and 184km of other roads.

11. Street Lighting

- 11.1 Under the new maintenance contract the performance of the repair service dipped between September 2004 - January 2005 due to Carillion having staff resourcing difficulties and the delay in starting the bulk lamp replacement programme to 16000 units. The backlog of work has now been resolved.
- 11.2 Investments made in the 1980's mean that the overall condition of the street lighting stock in Warwickshire is better than in many counties. However, about 25% of the lighting stock is over 30 years old. The detailed survey of the lighting stock is scheduled to be complete June 2005 with the data being processed in July.
- 11.3 It is currently estimated that Warwickshire should be replacing at least 1000 (2.5%) of its streetlights every year to maintain the overall condition. The past few years funding has allowed just 50%-25% of the required replacements.
During the past 12 months 6 columns collapsed unexpectedly. Fortunately, no personal injuries were sustained but the potential danger of an ageing stock is clear. To manage the potential risks in the short term it is proposed to increase the programme of testing to determine the maximum "residual" life of the columns.
- 11.4 Lighting upgrading in Town Centres and streetscape painting of columns has continued a rolling programme. In 2004/5 extensive work was carried out in Rugby as part of respective Community Safety and Business Improvement District (BID's) projects.
- 11.5 A substantial part of the street lighting budget is spent on energy. From April 2005 Green Energy was secured for the first time for WCC. In light of the volatile fluctuations in global energy prices a two year contract has been secured with London Electric using ESPO as contract administrators.
- 11.6 In January 2005 Cabinet agreed that WCC should progress the initiative of advertising on Lamp Columns. The project could generate an annual income of some £100,000 to £250,000, subject to gaining planning permissions for the display units.

12. Routine Maintenance Activities Area Response Teams

- 12.1 Routine maintenance of the highway network is divided into five areas coincident with the district council boundaries. 14 Area Response Teams (ART's) have now been established in the five areas. Two teams will concentrate on drainage works and three will deal with category 1 and 2 safety defects identified by the inspection teams within the urban areas. The following improvements will be implemented during the year:-
- (i) Fortnightly management reviews of progress and continuous improvement.

- (ii) A daily diary productivity monitoring system.
- (iii) A review of the ART work ordering and cost code structure.
- (iv) Write ART process procedure for inclusion in Routine Maintenance Operations Manual.

13. Customer Service Centre

13.1 The customer service centre has now been fully operational taking all highway and street lighting maintenance calls for Warwickshire since April 2004. In 2004/5 42,967 calls were taken by a team of four dedicated customer service operators. Performance of the customer service centre has been consistently good regularly achieving over 90% of connections.

| Date | No of Calls | % Connections | % Hang-ups | % Messages | Longest queue time | Queue > 15 s |
|---------------|---------------|---------------|-------------|--------------|--------------------|---------------|
| Jan 2005 | 3575 | 90.8% | 6.7% | 2.5% | No data | 25.5% |
| Feb 2005 | 3365 | 88.6% | 5.0% | 6.4% | 16 min | 26.3% |
| March 2005 | 3176 | 89.7% | 3.6% | 6.7% | 100 min | 24.4% |
| April 2005 | 3269 | 87.8% | 7.4% | 4.8% | 59 min | 32.9% |
| May 2005 | 2832 | 93.4% | 4.8% | 1.8% | 21 min | 19.1% |
| Totals | 42,967 | 91.65% | 4.3% | 3.42% | 37 min | 21.55% |

13.2 On the 16th September 2003 a report was made to the Environment and Rural Affairs Overview and Scrutiny Committee on the operation of the customer service centre. A number of service targets were set e.g.,

| Description of Target | Target | 2003/4 Results | 2004/5 Results | % Annual Improvement |
|-------------------------------|--------|----------------|----------------|----------------------|
| Improve number of connections | 94% | 87% | 91.65% | 4.65% |
| Reduce number of hang-ups | 3% | 7.4% | 4.3% | 42% |
| Reduce number of messages | 3% | 5.2% | 3.42% | 34% |
| Reduce queue times | 4 min | 45 min | 37 min | 18% |
| Calls exceeding 15 seconds | 20% | 33.25% | 21.55% | 35% |

13.3 Although the targets have not been achieved there was improvement in 2004/5 on the overall performance when compared to 2003/4. Further effort will be required to consolidate the improvements already made towards achieving the targets by the end of 2005/6.

14. Winter Maintenance

14.1 Following the termination of the Agency arrangements in March 2003 the opportunity was taken to optimise routes for precautionary gritting throughout the county, taking account of recommendations of the Best Value Review. The optimisation of the routes resulted in improvements in the performance of the gritting operations.

14.2 The Winter Maintenance Review undertaken during the summer of 2004, involved the Highways Maintenance Contractor who carries out the gritting operations. This review resulted in:-

- (i) Further optimisation of the routes to improve performance.

- (ii) Introduction of two 'mini' routes, using compact vehicles, to treat roads over weight restricted bridges, and some other areas of difficulty in urban areas.
 - (iii) Improvements and adaptations of the gritting vehicle fleet to improve the safety for the operators.
 - (iv) Purchase of new hand spreading equipment and setting up procedures for treating high priority footways, footpaths and cycle ways during periods of prolonged frosts or snow.
 - (v) Improvements to web-based information on winter maintenance.
- 14.3 There were 53 full grits completed during the 2004/05 winter season (against the average expected in a year of 40). On the 14 days between 18th February and 6th March there were 11 nights of snow and 18 gritting operations were completed during the period.
- 14.4 The programme for the renewal of the winter gritting vehicle fleet continued during 2004 and will be carried through to the winter season 2005/06, with three replacement vehicles.
- 14.5 A Winter Maintenance Review will again be undertaken during the summer of 2005. This will look at the 2004/05 season and preparations needed for the 2005/06 season, and will include:-
- (i) Further optimisation, revision and changes to the routes to include two routes operating from the Warwick Area Depot at Budbrooke and the introduction of Snow Routes.
 - (ii) The introduction of GPS in gritting vehicles to provide reliable and accurate information on their location.
 - (iii) Further improvements in advising the public about the winter maintenance operations.

15. Patching

- 15.1 Patching work is carried out to keep the roads and pavements in a safe condition. Potholes and other defects are dealt with when they are found during the regular inspections or when they are reported by the public. Patching work is also undertaken prior to carriageway surface dressing or pavement slurry sealing. Revenue resources for patching have been significantly reduced this year and priorities will be strictly focussed on ensuring that the network is safe.
- 15.2 This year it is proposed to increase efficiency by standardising the method of ordering work so that the contractor has the optimum opportunity to plan and organise the work effectively. Other proposed improvements include:-
- (i) Trialling of urban rhino-patch in the Rugby and Warwick areas.
 - (ii) A Lean Construction review of patching to identify wastage and efficiency savings.
 - (iii) Write patching process procedure for inclusion in Routine Maintenance Operations Manual.

16. Road Markings and Studs

16.1 In 2004/05 problems were encountered when the lining contractor failed to replace lines following surface dressing in accordance with the times stipulated in the contract. Some surface dressing sites were left without lines for several months. This was largely due to the quantity of road markings being underestimated, resulting in insufficient resources being available to carry out the work. This year all road markings on surface dressed roads have been surveyed to ensure that sufficient marking gangs are available. Other improvements include:-

- (i) Checking of daily record sheets by area teams.
- (ii) Preparation of extrusion programmes.
- (iii) Identification of renewal sites during serviceability inspections.
- (iv) Review road marking procedures within the Routine Maintenance Operations Manual.
- (v) Operations Manual.

17. Verge and Tree Maintenance

17.1 In 2004/05 the county policy of cutting grass three times a year was achieved. The problem of overgrown hedges/trees obstructing road signs will be addressed this year by the introduction of regular serviceability inspections by Area Surveyors.

17.2 Operation Ragwort will continue as in previous years, targeting problem areas throughout the County. Japanese knotweed will be dealt with as part of a County wide spraying programme. Other weed related work will include:-

- (i) Application of a growth retardant on the A45 central reserve.
- (ii) Review verge maintenance procedures within the Routine Maintenance Operations Manual.

17.3 A programme of tree inspection in the rural areas and the urban area of Stratford has commenced in conjunction with the Property Services Department. This will enable officers to determine the extent of risk from dangerous highway trees and the amount of funding required to bring this risk to an acceptable level.

18. Gully emptying and Drainage

18.1 Gullies are emptied at a frequency of once a year. In 2004/05 some problems were experienced in completing the programme mainly due to the need for additional traffic management and the incidence of parked cars in urban areas. Under the new contract a Global Position Tracking System (GPS) has been installed on the gully machines. This has helped in the development of a fuller inventory of the gullies and drains on the highway network. However, further development will be carried out this year jointly by Carillion and WCC so that a review of the frequency of gully emptying can be undertaken to ensure that they are emptied before they become full.

18.2 Two Area Response Teams (ARTs) are dedicated to drainage work under the control of the Network Management Team and they will be utilised both to respond to ad hoc drainage problems and to carry out an annual programme of works.

19. Signs

19.1 The two main issues with sign maintenance are:-

- (i) The fact that there is a backlog of signs which need to be replaced:
and
- (ii) The need to check that the signs which have been installed in the past (particularly within urban areas) are still required.

19.2 An issue which will need to be dealt with in the next few years is the need to develop an inventory of signs (non illuminated). This is required to ensure better planning of maintenance expenditure.

19.3 A pilot study of decluttering town centre signs is planned for Stratford and Leamington Spa.

20. Other Issues

Co-ordination of roadworks

20.1 The National Road and Street Works Act (NRSWA) sets out the activities that authorities must undertake to co-ordinate roadworks. Utilities are required to submit details of the works they propose to carry out and authorities can attach conditions to the timing of works. Problems can arise when utility works take longer than planned or when traffic control is not properly set up.

20.2 In 2004 a Traffic Manager was appointed to ensure that even more is done to minimise traffic congestion. The Street Works function was transferred to the Performance Management Division. However, inspection of openings remains a County Highways function and the two divisions will work together to minimise congestion and improve the standard of reinstatements.

20.3 To improve communication of projects within PTES a new Infrastructure Projects Database has been established.

21. Safety

- 21.1 Much of the maintenance activity is designed to ensure the highway network can be used safely. Patching, winter maintenance, street lighting, drainage, grass cutting etc, all have a role to play in keeping the network safe and the structural maintenance and surface dressing work is designed to keep the network from deteriorating and becoming unsafe. The challenge for County Highways is to identify how maintenance works can be carried out to improve, rather than just maintain, safety.
- 21.2 Following the identification of several possible actions which might improve safety, we will work more closely with the Road Safety Unit to use maintenance spending to reduce accidents.

22. Town Centres

- 22.1 The priority for highway maintenance spending has traditionally been for maintaining safety and for maintaining the structural condition of the road. Maintaining the appearance of the network has generally been considered to be a lesser priority with limited funds.
- 22.2 This is now changing with the recognition that the appearance of an area, as measured for instance by the Streetscape Index, has an important role to play in the economy and regeneration of an area.
- 22.3 Highway maintenance policies are being developed to take account of the need to ensure that town centres are well maintained as a matter of course. A Town Centre Maintenance Policy has been approved by Members. In addition the responsibility for promoting and monitoring the streetscape index in town centres will be taken on by the highway maintenance area surveyors.
- 22.4 Over the past 12 months continued improvements to the level of maintenance to items of public realm in town centres were carried out through the multi disciplinary activities of PTES and district authorities. Extensive Streetscape painting was carried out in Leamington, Stratford and Atherstone. In particular we have worked closely with the Renaissance group in Stratford to remove unnecessary and redundant signs and to improve street lighting in Waterside.
- 22.5 The introduction of an Infrastructure Project Database in April 2005 is aiding cross authority co-ordination and delivery of projects.

23. Insurance

- 23.1 To help minimise highway insurance claims an annual insurance claim review was carried out in March 2005. Quarterly reviews will now be undertaken to assess trends and generate appropriate actions.

24. Quality Assurance

24.1 In April 2005 , following an independent audit, County Highways retained its BSI accreditation.

25. Sustainability & Asset Management

25.1 In promoting the Department's purpose and the government's strategy for sustainable development, County Highways aims to monitor, maintain and develop the highway asset in as an environmentally friendly manner as possible. The following points give an idea of the work being undertaken towards these aims:-

- (i) Reuse/recycling of secondary aggregates e.g. road planings and surface dressing chippings. Including development of the Leicester Lane Depot as a storage area for recycled materials.
- (ii) Continuous inspection of the County's roads in accordance with national standards.
- (iii) Collection of highway asset data including street lights, illuminated signs and gullies etc.

26. Communications

26.1 In order to improve communications within the County (department and within County Highways and Carillion) we will continue to develop our quarterly newsletter and web pages. We will also continue to contribute to the department's e-government requirements.

27. 2005/2006 Works Programme

27.1 Lists of schemes have been produced showing the planned maintenance work proposed during the period 1st April 2005 to 31st March 2006. The structural schemes have been selected using a maintenance priority assessment system. Priority is given to sites where the defects in the road might become dangerous or where substantial patching work would be required, if a structural scheme was not undertaken.

27.2 The schedule may be subject to change as a result of factors such as:-

- (i) Utility work clashing with the proposed roadworks.
- (ii) More detailed scheme costs being determined.
- (iii) Consultation.

28. Five Year Lists of Maintenance Schemes

28.1 A 5 Year List of roads which require a structural maintenance treatment was approved by Members in 2004. The roads included are those which have sufficient defects to justify a structural maintenance treatment. Other roads will be added if they deteriorate from their present condition. This list will be revised for 2006.

- 28.2 The list includes a number of A roads and some footways. There are limited numbers of carriageway sites included in urban areas. This is because most of the roads in urban areas are treated by surface dressing or by resurfacing and do not normally require a strengthening treatment
- 28.3 A separate list of roads where street lighting replacements are required has also been produced.

| Network Management Five Year Structural Proposals | | | | | | |
|---|------------|------|------|----|-----------|--------|
| Rd No | Settlement | SITE | | | | Length |
| | | Road | From | To | Treatment | |

WARWICK -CARRIAGEWAYS

| | | | | | | |
|--------|-----------------------------|-----------------------|-----------------------------|------------------------------------|-------------|------|
| D2206 | Bagington | Rowley Road | Southbound carriageway | part only | Overlay | |
| C24 | Beausale | Rouncil Lane | Ford | Past Fernwood Farm | Haunch | 1100 |
| D5076 | Beausale | Rouncil Lane | D5076 Red House Farm Lane | Hill Farm/Ash Tree Farm Junction | Haunch | 600 |
| C36 | Cubbington | Offchurch Road | New Surface By Queen Street | 40mph Signs Outside Thwaites | Resurface | 550 |
| A445 | Cubbington | Leicester Lane | C36 | Furzenhill Cottages | Resurface | |
| D5104 | Five Ways | Fletchers lane | D5066 Case Lane | D5658 Quarry Lane | Resurface | 750 |
| D5062 | Haseley | Firs Lane | Nr A4177 | D5067 | Resurface | 2315 |
| C136 | Hatton | Pinley Road | C93 | D5093 | Haunch | 750 |
| C93a | Hatton | Snitterfield Lane | Craft Centre | C136 | Haunch | 2600 |
| D2248 | Hunningham | | D2246 | C33 | Resurface | 500 |
| D7016 | Kenilworth | High Street | Malthouse Ln | New Street/Bridge St Traffic Light | Resurface | |
| D7100 | Kenilworth | Birches Lane | St Johns Gyratory | Windy Arbour | Resurface | |
| C23a | Lapworth | Rising Lane | B4439 | Surface Change | Resurface | 650 |
| D5017 | Lapworth | Wharf Lane | A3400 | B4439 | Haunch | 800 |
| D4735 | Leamington | Sydenham Drive | A425 | Gainsborough Dr | Overlay | |
| A452 | Leamington | Adelaide Road | Roundabout | Avenue Rd | Resurface | |
| D4571 | Leamington | Packington Place | Chapel St | End Of Road | Resurface | |
| D4352 | Leamington | Regent Street | Parade | Regent Gr | Resurface | |
| D4568 | Leamington | Bath Place | Spencer St | Smith St | Resurface | |
| D4384 | Leamington | Newbold Terrace East | House no. 58 | Fernhill Dr | Reconstruct | |
| D4440 | Leamington | Buckley Road | Leicester St | Mason Ave | Resurface | |
| D4444 | Leamington | Wellington Road | Valley Rd | Buckley Rd | Resurface | |
| A429 | Leek Wooton | Coventry Road | A46 Gaveston Island | | Resurface | |
| C92a | Lowsonford | New Road/Finwood Road | Canal | North For 650m | Resurface | 650 |
| C92 | Lowsonford | Henley Road | C22 Lowsonford | D5234 Preston Bagot turn | Resurface | 2455 |
| C92 | Lowsonford | Henley road | Lowsonford | Preston Baggot Junction | Overlay | 2500 |
| D5270 | North Lindsey | Canada Lane | C93 | Dead End | Resurface | 750 |
| C136a | Pinley Green | | C25 | Grange Farm | Resurface | 500 |
| D5114a | Pinley Green | Manor Lane | C136/C25 | Manor Farm | Resurface | 900 |
| D5112 | Pinley Green | Holywell Road | C22 | D5109 | Overlay | 260 |
| B4439 | Rowington | Warwick Road | C92 | Church | Resurface | |
| D5106 | Rowington | South Lawn Road | B4439 | End Of Road | Resurface | 200 |
| B4439 | Rowington | Old Warwick Road | C92 | Church | Overlay | 1000 |
| C22 | Shrewley Common | Back Lane | Change in Surface Near C25 | Change in Surface Towards L'ford | Resurface | 700 |
| D5112 | Shrewley Common | Holywell Road | C22 | D5109 | Resurface | 260 |
| B4439 | Shrewley Common | Old Warwick Road | C25 West | New Surface | Resurface | 550 |
| D4102 | Warwick | Millers Road | Cape Rd | Wathen Rd | Reconstruct | |
| D4119 | Warwick | Guys Cross Park Road | Lakin Rd | A429 | Overlay | |
| A452 | Warwick & Bishops Tachbrook | Europa Way | C43 | A425 | Overlay | |
| D5060 | Wroxall | School Lane | Burial Ground | End Of Road | Resurface | 1150 |

Network Management Five Year Structural Proposals

| Rd No | Settlement | SITE | | | | Length |
|-------|------------|------|------|----|-----------|--------|
| | | Road | From | To | Treatment | |

WARWICK - FOOTWAYS

| | | | | | | |
|-------|----------------|--------------------|-----------------------|----------------------|-----------|-----|
| D4547 | Cubbington | North Close | entire | | Resurface | 233 |
| A429 | Kenilworth | Coventry Road | Tainters Hill | Manor Rd | Resurface | |
| D7019 | Kenilworth | Tainters Hill | Coventry Rd | Manor Rd | Resurface | |
| D7093 | Kenilworth | Ash Drive | entire | | Resurface | 254 |
| D7149 | Kenilworth | St Johns Street | entire | | Resurface | 321 |
| D7122 | Kenilworth | Fishponds Road | Siddeley Avenue | School | Resurface | 267 |
| D7096 | Kenilworth | Arden Road | entire | | Resurface | 344 |
| D7083 | Kenilworth | Elmdene Road | entire | | Resurface | 474 |
| D7125 | Kenilworth | Siddeley Avenue | entire | | Resurface | 492 |
| D7119 | Kenilworth | Barrowfield Avenue | entire | | Resurface | 364 |
| D7058 | Kenilworth | Finham Road | Villers Road | Dalehouse Lane | Resurface | 579 |
| C36 | Leamington | Kenilworth Road | Leicester Ln | Beaufort Ave | Resurface | |
| D4363 | Leamington Spa | Bedford Street | Dormer Place | Warwick Street | Resurface | 477 |
| D4331 | Leamington Spa | Strathearn Road | Beauchamp Hill | Rugby Road | Resurface | 315 |
| D4630 | Leamington Spa | Grove Place | Shrubland Street | Tachbrook Street | Resurface | 51 |
| D4594 | Leamington Spa | England Crescent | entire | | Resurface | 415 |
| D4383 | Leamington Spa | Newbold Terrace | Parade | Willes Road | Resurface | 524 |
| D4648 | Leamington Spa | The Close | Llewlyn Road | End | Resurface | 250 |
| D4639 | Leamington Spa | Hitchman Road | entire | | Resurface | 337 |
| D4601 | Leamington Spa | Viscount Close | Kingsway | End | Resurface | 154 |
| D4637 | Leamington Spa | Shrubland Street | Charles Gardener Road | Brunswick Street | Resurface | 166 |
| D4481 | Lillington | Cheviot Rise | entire | | Resurface | 141 |
| D4441 | Lillington | Haddon Road | Wellington Road | Buckley Road | Resurface | 895 |
| D4758 | Radford Semele | Church End | Southam Road | End | Resurface | 141 |
| A425 | Warwick | Banbury Road | Gallows Hill | The Asps | Resurface | |
| D4158 | Warwick | Nelson Lane | Coventry Road | Cliffe Way | Resurface | 88 |
| D4110 | Warwick | Wathern Road | Millers Road | Woodville Road | Resurface | 752 |
| C37 | Warwick | Theatre Street | Barrack Street | Bowling Green Street | Resurface | 356 |
| D4137 | Warwick | Greville Road | Beauchamp Road | Chestford Cresent | Resurface | |
| D4109 | Warwick | Lyttelton Road | entire | | Resurface | 774 |
| D4108 | Warwick | Peel Road | Wedgenock Green | Lyttleton Road | Resurface | 231 |
| D4692 | Whitnash | Harrow Road | Coppice Road | End | Resurface | 350 |
| | | | | | | |
| | | | | | | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA CARRIAGEWAY RESURFACING 05/0€

| | | | | | |
|----------------|-------|--------------|------------------------|---------------------------|------------------|
| Bagington | D2206 | Siskin Drive | Coventry City Boundary | Siskin Parkway Roundabout | Southbound Lanes |
| Kenilworth | D7100 | Birches Lane | Farmer Ward Road | Windy Arbour | |
| Kenilworth | D7050 | Common Lane | A429 Coventry Road | Woodland Road | |
| Leamington Spa | B4087 | Parade | Clarendon Avenue | High Street | |
| Eathorpe | B4055 | Fosse Way | Orchard House | south for 520m | |

WARWICK AREA CARRIAGEWAY SURFACE DRESSING 05/0€

| | | | | | |
|---------------------|-------|--------------------|--------------------------|---------------------------|--|
| Baddesley Clinton | C92 | Haywood Lane | D5058 Quarry Lane | C23 Rising Lane | |
| Barford | D5311 | Carter Drive | Keytes Lane | End | |
| Barford | D6011 | Keytes Lane | Chuch Street | End | |
| Barford | D6010 | Fairfax Close | Keytes Lane | End | |
| Barford | D4884 | Verdun Place | Chuch Street | End | |
| Barford | D6013 | Avon Close | High Street | End | |
| Barford | A429 | Service Road | Wellesbourne Road | End | |
| Barford | D6006 | Westham Road | Wellesbourne Road | End | |
| Barford | D6007 | Sandy Way | Wasperton Lane | End | |
| Barford | D6015 | Dugard Place | Wasperton Lane | Wasperton Lane | |
| Beausale | D5074 | Butlers End | Butlers Lane | End | |
| Beausale | D5074 | Barracks Lane | Honiley Lane | End | |
| Bishops Tachbrook | D6025 | Bradford Close | Holt Avenue | End | |
| Bishops Tachbrook | D6022 | Holt Avenue | Mallory Road | End | |
| Bishops Tachbrook | D6023 | Court Close | Holt Avenue | Kingsley Road | |
| Bishops Tachbrook | D6024 | The Lees | Holt Avenue | End | |
| Bishops Tachbrook | D6027 | Hassal Close | Kingsley Road | End | |
| Bishops Tachbrook | D6028 | Commander Close | Kingsley Road | End | |
| Bishops Tachbrook | D6029 | Beale Close | Mallory Road | End | |
| Bishops Tachbrook | D6026 | Kingsley Road | Mallory Road | S/C By School | |
| Bubbenhall | D2240 | Lower End | Bubbenhall Road | End | |
| Bubbenhall | D2231 | Moat Close | Lower End | End | |
| Bubbenhall | D2250 | Church Road | Bubbenhall Road | End | |
| Burton Green | C15 | Hodgetts Lane | Cromwell Lane | End Of 40mph | |
| Cubbington | A445 | Leicester Lasne | C36 Kenilworth Rd R'bout | Brook Culvert | |
| Hampton Of The Hill | C138 | Old Budbrooke Road | D5273 Hampton Road | New Surface By "Drumlins" | |
| Haseley | D5062 | Firs Lane | A4177 | A4177 | |
| Hatton | C93 | The Green | A4177 | School | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA CARRIAGEWAY SURFACE DRESSING 05/06 - Continued

| | | | | | |
|----------------|-------|--------------------|---------------------------------|---------------------|--|
| Hatton | D5087 | Starmer Place | The Green | no 6 | |
| Hatton | D5087 | | The Green | no 25 | |
| Hatton | D5087 | Service Road | "Lightwoods" | "Martins" | |
| Hockley Heath | D5055 | Aylesbury Lane | Aylesbury Road | End | |
| Kenilworth | D7119 | Barrowfield Lane | Borrowell Lane | Greville Road | |
| Kenilworth | D7118 | Highfield Close | Barrowfield Lane | End of road | |
| Kenilworth | D7120 | Margetts Close | Barrowfield Lane | End of road | |
| Kenilworth | D7121 | Greville Road | Barrowfield Lane | Siddeley Avenue | |
| Kenilworth | D7117 | Mercia Way | Barrowfield Lane | Brookside Avenue | |
| Kenilworth | D7151 | Guy Road | Mortimer Road | Roseland Road | |
| Kenilworth | D7161 | Towers Close | Rouncil Lane | End of road | |
| Kenilworth | D7162 | Suncliffe Drive | Rouncil Lane | Towers Close | |
| Kenilworth | D7164 | Lindsey Crescent | Suncliffe Drive | Suncliffe Drive | |
| Kenilworth | D7167 | Sunshine Close | Suncliffe Drive | End of road | |
| Kenilworth | D7102 | Jordan Close | Birches Lane | End of road | |
| Kenilworth | D7101 | Thickthorn Close | Birches Lane | Thickthorn Orchards | |
| Kenilworth | D7096 | Arden Road | Thornby Avenue | Moseley Road | |
| Kenilworth | D7094 | Laburnam Avenue | Blackthorn Road | Lime Grove | |
| Kenilworth | D7092 | Lime Grove | Farmer Ward Road | Ash Drive | |
| Kenilworth | D7093 | Ash Drive | Lime Grove | End of road | |
| Kenilworth | D7361 | Mountbatten Avenue | Heyville Croft | End of road | |
| Kenilworth | D7163 | Knightlow Close | Mountbatten Avenue | End of road | |
| Kenilworth | D7383 | Heyville Croft | Glasshouse Lane | End of road | |
| Kenilworth | D7055 | Canterbury Close | Glasshouse Lane | End of road | |
| Kenilworth | D7066 | Leyes Lane | Parkhill | Dencer Drive | |
| Kenilworth | D7065 | Keeling Road | Leyes Lane | Parkfield Drive | |
| Kenilworth | D7060 | Villiers Road | Parkhill | Rawnsley Drive | |
| Kenilworth | D7385 | Allitt Grove | Rawnsley Drive | End of road | |
| Kenilworth | D7142 | Faircroft | Queens Road | End | |
| Kenilworth | D7126 | Willoughby Avenue | Caesar Road | Siddeley Avenue | |
| Lapworth | D5045 | Grove Lane | B4439 | Grove Road | |
| Lapworth | D5038 | Mill Lane | B4439 | C23 Rising Lane | |
| Leamington Spa | A452 | Kenilworth Road | Northumberland Road | Clarendon Avenue | |
| Leamington Spa | B4099 | Warwick New Road | D4263 Princes Drive Mini Island | Mill House Terrace | |
| Leamington Spa | B4099 | Willes Road | Russell Terrace | Leam Terrace | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA CARRIAGEWAY SURFACE DRESSING 05/06 - Continued

| | | | | | |
|----------------|-------|-------------------------|---|----------------------------------|--|
| Leamington Spa | D4656 | St Margarets Road | Prospect Road | Staunton Road | |
| Leamington Spa | D4641 | Windmill Road | Tachbrook Road | End Of Road | |
| Leamington Spa | D4307 | Clositer Crofts | Kenilworth Road | Lillington Road | |
| Leamington Spa | D4495 | Church Lane | Vicarage Road Junction | | |
| Leamington Spa | D4308 | Cloister Way | Cloister Crofts | School Entrsnce | |
| Leamington Spa | D4027 | Leicester Ln/Service Rd | No 48 Leicester Lane | No 68 Leicester Lane | |
| Leamington Spa | D4381 | Park Street | Warwick Street | Regent Street | |
| Leamington Spa | D4390 | William Street | Rosefield Street | Wood Street | |
| Leamington Spa | D4386 | Rosefield Street | Newbold Street | Willes Road | |
| Leamington Spa | D4375 | Guy Street | Clarendon Avenue | Warwick Street | |
| Leamington Spa | D4376 | Guy Place West | Guy Street | Chandos Street | |
| Leamington Spa | D4376 | Guy Place East | Chandos Street | Oxford Street | |
| Leamington Spa | D4295 | Beverley Road | Guys Cliffe Avenue | Northumberland Road | |
| Leamington Spa | D4300 | Greathead Road | Rugby Road | Gaveston Road | |
| Leamington Spa | D4298 | Gaveston Road | Rugby Road | Freemans Close | |
| Leamington Spa | D4340 | Clarendon Crescent | Beauchamp Hill | End Of Road | |
| Leamington Spa | D4388 | Warwick Terrace | Beauchamp Hill | Warwick Place | |
| Leamington Spa | D3992 | Tachbrook Park Drive | Shires Retail Park (Sainsburys) Island | Heathcote Way Jnc | |
| Leek Wootton | B4115 | Ashow Road | Hill Wootton Road Crossroads | Surface Change | |
| Lillington | D4511 | Montrose Avenue | Lime Avenue | Telford Avenue | |
| Milverton | D4253 | Edward Street | Old Milverton Road | End | |
| Milverton | D4254 | Albert Street | Old Milverton Road | End | |
| Milverton | D4255 | Terry Avenue | Old Milverton Road | End | |
| Milverton | D4920 | St Albans Close | Old Milverton Road | End | |
| Offchurch | C36 | Welsh Road | D2246 Hunningham Road | S/C By Thwaites New Surface | |
| Offchurch | B4455 | Fosse Way | Top Of Hill /Fosse Farm | C31 Long Itchington Road | |
| Rowington | C92 | Hawywood Lane | B4439 | Grove Road | |
| Rowington | D5115 | St Lawrence Close | Firs Lane | End | |
| Shrewley | D5090 | Mill Lane | B4439 | 170m From Stoney Lane | |
| Shrewley | D5096 | Hughes Hill | C25 Fiveways | B4439 | |
| Stoneleigh | B4113 | Stoneleigh Road | Nac Livestock Entrance | D2211 Stareton Road | |
| Warwick | D4112 | Lakin Road | A429 Coventry Road | First Hospital Entrance On Right | |
| Warwick | D4326 | Hyde Place | Guys Cliffe Road | Warwick Place | |
| Warwick | D4305 | Mews Road | Guys Cliffe Road | End Of Road | |
| Warwick | D4984 | Myton Gardens | Myton Road | End Of Road | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA CARRIAGEWAY SURFACE DRESSING 05/06 - Continued

| | | | | | |
|-----------|-------|----------------------|--------------------|-----------------|--|
| Warwick | D4953 | Myton Lane | Myton Road | Dodd Avenue | |
| Warwick | D4984 | Ilex Court | Emscote Road | End Of Road | |
| Warwick | D4128 | The Paddocks | Coventry Road | End Of Road | |
| Warwick | D4007 | Sharpe Close | Woodville Road | End Of Road | |
| Warwick | D4026 | Roe Close | Woodville Road | End Of Road | |
| Warwick | D4117 | Packmore Street | Lakin Road | Woodville Road | |
| Warwick | D4010 | Trueman Close | Vine Lane | End | |
| Warwick | D4112 | Lakin Court | Paradise Street | End | |
| Warwick | D4114 | Vine Lane | Lakin Court | | |
| Warwick | D4150 | Nelson Avenue | George Road | Dale Close | |
| Warwick | D4149 | George Road | Montague Road | All Saints Road | |
| Warwick | D4151 | Dale Close | Nelson Avenue | End | |
| Warwick | D4144 | Cedar Grove | Spinney Hill | End | |
| Warwick | D4136 | Montague Road | Charles Street | The Ridgeway | |
| Warwick | D4135 | The Ridgeway | Spinney Hill | Montague Road | |
| Warwick | D4976 | Hathaway Drive | Primrose Hill | Primrose Hill | |
| Warwick | D4095 | St Christopher Close | St Michaels Road | End Of Road | |
| Warwick | D4094 | St Marys Close | St Michaels Road | End Of Road | |
| Wasperton | D6078 | Wasperton Lane | Wellesbourne Road | End | |
| Whitnash | D7255 | Dobson Lane | Heathcote Road | End | |
| Whitnash | D4688 | Acre Close | Heathcote Road | End | |
| Whitnash | D4689 | Avon Close | Heathcote Road | End | |
| Whitnash | D4692 | Harrow Road | Coppice Road | End | |
| Whitnash | D4675 | Barn Close | Home Farm Crescent | End | |
| Whitnash | D4677 | Markham Drive | Golf Lane | End | |
| Whitnash | D4706 | Cotterills Close | Markham Drive | End | |
| Whitnash | D4687 | Morris Drive | Golf Lane | Coppice Road | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA FOOTWAY RESURFACING 05/06

| | | | | | |
|----------------|-------|-----------------|---------------------------|------------------|-----------|
| Leamington Spa | D4735 | Sydenham Drive, | Paved Area fronting shops | | |
| Leamington Spa | A452 | Kenilworth Road | Clarendon Avenue | Beauchamp Avenue | |
| Warwick | D4137 | Greville Road, | Emscote Road | Millbank | East side |
| Warwick | D4167 | Cherry Street, | Entire | | |
| Warwick | D4108 | Peel Road | Outside shops | | |

WARWICK AREA FOOTWAY SLURRY SEALING PROGRAMME 05/06

| | | | | | |
|----------------|-------|--------------------|------------------|-------------------|--|
| Blackdown | A452 | Kenilworth Road | Quality Inn | Leek Wootton Sign | |
| Cubbington | D4551 | Cross Lane | Welsh Road | Price Road | |
| Cubbington | A4514 | St Andrews Road | entire | | |
| Cubbington | D4515 | Crawford Close | entire | | |
| Cubbington | D4516 | Helmsdale Road | entire | | |
| Cubbington | D4510 | Melton Road | entire | | |
| Cubbington | D4517 | Braemar Road | entire | | |
| Cubbington | D4508 | Highland Road | entire | | |
| Cubbington | D4511 | Montrose Avenue | entire | | |
| Kenilworth | D7079 | Dencer Drive | Leyes Lane | Glass House lane | |
| Kenilworth | D7383 | Heyville Croft | Glass House Lane | End | |
| Kenilworth | D7361 | Mountbatten Avenue | Heyville Croft | End | |
| Kenilworth | D7066 | Leyes Lane | Dencer Drive | Glasshouse Lane | |
| Kenilworth | D7397 | Cornhill Grove | Dencer Drive | End | |
| Kenilworth | D7398 | Tappinger Grove | Dencer Drive | End | |
| Kenilworth | D7399 | Arlidge Crescent | Dencer Drive | End | |
| Kenilworth | D7401 | Turton Way | Dencer Drive | End | |
| Kenilworth | D7402 | Court House Croft | Turton Way | End | |
| Kenilworth | D7410 | Potts Close | Dencer Drive | End | |
| Kenilworth | D7411 | Asplen Court | Dencer Drive | End | |
| Kenilworth | D7407 | Wordsworth Drive | Dencer Drive | Jackson Grove | |
| Kenilworth | D7379 | Mayfield Drive | Dencer Drive | Warton Close | |
| Kenilworth | D7403 | Warton Close | Mayfield Drive | End | |
| Kenilworth | D7055 | Canterbury Close | | | |
| Lapworth | D5019 | Church Lane | B4439 | Tapster lane | |
| Leamington Spa | D4560 | Leam Terrace | Mill Road | Willes Road | |

2005/06 WARWICK AREA MAINTENANCE SCHEMES

| Parish/ Settlement | Rd No | SITE | | | Comments |
|-----------------------|-------|------|------|----|----------|
| | | Road | From | To | |

WARWICK AREA FOOTWAY SLURRY SEALING PROGRAMME 05/06 - Continued

| | | | | | |
|----------|-------|------------------------------|------------------|------------------|--|
| Sydenham | D4719 | Swain Crofts | Emmott Drive | End | |
| Sydenham | D4654 | Emmott Drive | Chesterton Drive | Swain Crofts | |
| Sydenham | D4477 | Bisset Crescent | Emmott Drive | Emmott Drive | |
| Sydenham | D4638 | Elliston Grove | Bissett Crescent | End | |
| Sydenham | D4891 | Lambourne Crescent | Emmott Drive | Chesterton Drive | |
| Warwick | D4107 | Oken Road | Cape Road | Deer Park Drive | |
| Warwick | D4105 | Newburgh Crescent | Deer Park Drive | Peel Road | |
| Warwick | D4952 | Tatnall Grove | Peel Road | End | |
| Warwick | D4108 | Peel Road | Lyttleton Road | Wathen Road | |
| Warwick | D4109 | Lyttleton Road | Millers Road | Wathen Road | |
| Warwick | D4111 | Percy Road | Peel Road | Lyttleton Road | |
| Warwick | D4101 | Trueman Close | Wathen Road | End | |
| Warwick | D4007 | Sharpe Close | Woodville Road | End | |
| Warwick | D4026 | Roe Close | Woodville Road | End | |
| Warwick | D4091 | Woodville Road | Wathen Road | Packmore Street | |
| Warwick | D4114 | Vine Lane | Woodville Road | Lakin Court | |
| Warwick | D4115 | Lakin Court | Paradise Street | End | |
| Warwick | D3244 | Paradise Street | Woodville Road | Lakin Road | |
| Warwick | D4117 | Packmore Street | Woodville Road | Lakin Road | |
| Warwick | D5019 | Eborall Close | Hathaway Drive | End | |
| Warwick | D4976 | Hathaway Drive | Primrose Hill | Primrose Hill | |
| Warwick | D4956 | Welsh Close | Hathaway Drive | End | |
| Warwick | D4282 | Lee Close | Hathaway Drive | End | |
| Whitnash | C139 | Heathcote Road | Tachbrook Road | Lammas Croft | |
| Whitnash | D4664 | Spa View | Whitnash Road | End | |
| Whitnash | D4677 | Markham Drive + Alley | Golf Lane | End | |
| Whitnash | D4706 | Cotterills Close | Markham Drive | End | |
| Whitnash | D4688 | Acre Close | Heathcote Road | End | |
| Whitnash | D4700 | St Catherines Close | Landor Road | End | |
| Whitnash | D4700 | St Catherines Close Alleyway | New slurry seal | Heathcote Road | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Warwick, L/Spa/Kenilworth Area - Locations where Column replacement will soon be required

| | | | | | | |
|------------|------------------------------------|---|----|---------|-----------------|---------------------------------|
| Warwick | High St, Jury St | S | 20 | 8 | Stuart Lloyd | 2mt Extension |
| Warwick | Stand St Area | S | 30 | 5 | Cohen | |
| Warwick | Priory Park Pool | S | 35 | 5 | Cohen | Several replaced |
| Warwick | St Nicholas Park | S | 25 | 5 | Cohen | |
| Warwick | Wharf Street | S | 19 | 5 | Stanton | |
| Warwick | Coventry RD | S | 49 | 10 | Hemcol | |
| Warwick | Cliff Way | S | 13 | 5 | Stanton | |
| Warwick | Castle Lane | S | 30 | 5 | Cohen | |
| Warwick | Chaple Street | S | 6 | 5 | Stanton | |
| Warwick | St Lawrence RD | C | 30 | 5 | GEC | |
| Warwick | Temple Way Area | S | 35 | 5 | Stanton | |
| Warwick | Cherry St Area | S | 20 | 6 | Cohen & Stanton | replaced 6m |
| Warwick | Smith St, Coten End | S | 20 | 10 | Stuart Lloyd | Old + New |
| Kenilworth | Towers Close Area | C | 25 | 5mt | Stanton | MST, Poor |
| Kenilworth | John Nash Square Area | C | 5 | 5mt | Stanton | MST with 2mt Extensions |
| Kenilworth | Warwick RD | S | 39 | 8mt | Stuart Lloyd | MST, Poor |
| Kenilworth | Coventry RD | S | 40 | 10mt | | |
| Kenilworth | Waverley/Priory RDs | S | 28 | 8mt | Stuart Lloyd | |
| Kenilworth | Princes Drive | C | 19 | 8mt | | |
| Kenilworth | Woodland RD | S | 9 | 5mt | Stanton | |
| Kenilworth | Northvale/Walting RD | S | 16 | 5mt | Stanton | |
| Kenilworth | Leys Lane | S | 23 | 6mt+5mt | Fabrikat | some replaced that failed tests |
| Kenilworth | Park Field Drive Area | S | 28 | 5mt | Stanton | |
| Kenilworth | Holmewood Drive Area | S | 18 | 5mt | Cohen | Very Poor |
| Kenilworth | Bertie RD | S | 10 | 5mt | Stanton | |
| Kenilworth | Claredon RD | S | 6 | 5mt | Stanton | |
| Leamington | Cubbington/ Rugby RDs | C | 73 | 8mt | | |
| Leamington | Offchurch RD | S | 26 | 8mt | Hemcol | Rusty |
| Leamington | Price RD Area | C | 27 | 5mt | Stanton | |
| Leamington | Gainsborough Drive (main road) | C | 30 | 6mt | Stanton | |
| Leamington | St Marys RD | C | 29 | 5mt | Stanton | |
| Leamington | Newbold Terrace East | C | 18 | 5mt | Stanton | |
| Leamington | Chance Fields | C | 5 | 5mt | Stanton | |
| Leamington | Watham Road Area | S | 50 | 5mt | Stanton | |
| Leamington | Campion RD | S | 13 | 6mt | Stanton | |
| Leamington | Greathead RD Area | S | 40 | 5mt | Stanton | |
| Leamington | Freemans Close | S | 5 | 5mt | Stanton | |
| Leamington | Rugby RD Milverton | S | 55 | 8mt | Stanton | |
| Leamington | Leicester Lane | S | 33 | 10mt | Stuart Lloyd | Flange Brackets |
| Leamington | Lime Avenue/Telford Avenue | C | 43 | 6/5mt | Stanton | |
| Leamington | Buckley RD/Gresham RD | S | 61 | 8mt | Stanton | |
| Leamington | Alexandra Rd/Northwat.Ranlagh ter. | S | 50 | 5mt | Stanton | |
| Leamington | Tachbrook St | S | 21 | 5mt | Stanton | |
| Leamington | Sydenham Drive | C | 39 | 6mt | Stanton | |
| Leamington | Morris Drive Area | S | 13 | 5mt | Stanton | |

Sub Total

1229